

-Kandiyohi County Platting Supplement- Sewage Treatment Feasibility Report Checklist

This checklist shall be used as a guide to ensure that all necessary components are included in the required Individual Sewage Treatment System feasibility report.

- 1. Sufficient soils information as is necessary to adequately characterize the soils on each lot, including at least the following information:
 - The complete results of at least two (2) soil borings per lot that are at least two (2) inches in diameter. The boring log shall include indication of depth to redoximorphic features, depth to standing water, soil type, soil color, soil texture, soil structure, and any other information necessary to providing an accurate assessment of the soils for sewage treatment. Soil borings shall extend at least 2 feet beyond redoximorphic features or at least 6 feet in depth, which ever is less.
 - A soil survey map indicating the boundaries of the proposed subdivision
 - Soil pits may be substituted for soil borings at a rate of at least one pit per lot or as otherwise approved by the Zoning Administrator as providing a sufficient characterization of the soils on the lots. Soil pit logs shall include the same minimum information required for soil boring logs. Soil pits shall extend at least 2 feet beyond redoximorphic features or at least 6 feet in depth, which ever is less.
- 2. A map of the proposed subdivision indicating the proposed or potential sewage treatment system locations.
- 3. A description of the type of system(s) that could be proposed for the respective lots in light of the soils information gathered and other considerations unique to the proposed subdivision.
- 4. Other information as may be required by the Zoning Administrator.